

LISTING OF CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. **(Currently Amended)** A package for products, in particular electronic components, comprising a box-shaped outer package and an inner package, wherein the outer package is provided with an inner space formed by at least a bottom and sidewalls, and the inner package is borne on at least two bearing parts of the outer package folded in the inner ~~package space~~ such that the inner package extends substantially parallel to and at a distance from the bottom of the outer package, wherein the inner package is provided with a form cavity in which said at least one product such as an electronic component can be received therein.

2. **(Original)** A package according to claim 1, wherein the inner space has a height, approximately at right angles to the bottom, which is at least twice as great as the height of the inner package, while the outer package is provided with a cover and the inner package is borne in the inner space such that it virtually abuts against the cover if the outer package is closed.

3. Canceled.

4. (Previously Presented) A package according to claim 1, wherein the outer package is folded from a blank, which blank comprises at least the bearing parts.

5. (Previously Presented) A package according to claim 1, wherein the outer package and the inner package are manufactured from substantially natural products, in particular materials recyclable with, or recyclable as paper.

6. (Currently Amended) A package according to claim 1, wherein the inner package is manufactured from a material produced on the basis of starch, ~~such as Paperfoam®.~~

7. (Currently Amended) A blank for ~~an outer a package of a package according to claim 1, wherein the blank is provided with comprising:~~

at least one bottom face,

four sidewall flaps connected to said bottom face via respective first folding lines,

two opposite sidewall flaps being connected to ~~the a~~ side remote from the bottom face via second folding lines to fold-over flaps, the fold-over flaps and/or the respective sidewall flaps each being provided on opposite sides, via third fold lines, with bearing flaps forming bearing parts which bearing flaps ~~extend such that~~ when the box is set up, ~~they include an acute~~ are disposed at a right angle with the bottom face and ~~include~~ include an acute angle with at least one of the sidewalls, in particular with the sidewall to which ~~they~~ the bearing flaps are

connected via the respective third folding line, while from the bottom, the bearing flaps have a height which is smaller than the height of the sidewall flaps.

8. **(Currently Amended)** A method for packaging one or more products, in particular electronic components such as mobile phones and the like, preferably in a package according to claim 1, wherein an outer package is set up, in particular from a blank, while forming an inner space with at least two ~~and preferably at least four~~ bearing parts set up in its ~~four~~ corners thereof, whereupon in the inner space at least ~~accessories of the or each~~ one accessory associated with the one or more products to be packaged ~~such as a charger and booklets~~ can be laid, whereupon an inner package is laid over ~~the at least one accessory said accessories~~, borne on said bearing parts, in which inner package the one or more products or each product to be packaged is laid in a product cavity open at a side remote from the inner space, whereupon a cover is closed over said inner package and ~~of the or each~~ one or more products included therein.